



## HYDRAULIC PERFORMANCE TOLERANCE

Peerless Pump performance tests are determined acceptable based on the tolerances of the Hydraulic Institute, paragraph 1.6.5.3 Level "A", as follows (unless level "B" is customer specified).

At rated capacity;

Heads under 200 feet at 2999 US GPM and under	= +8%, -0% Head
Heads under 200 feet at 3000 US GPM and over	= +5%, -0% Head
Heads 201 feet to 500 feet, at any flow	= +5%, -0% Head
Heads 501 feet and over, at any flow	= +3%, -0 Head

**OR**

At rated head;	
Capacity tolerance at rated head	= +10%, -0% Capacity

The plus 8%, 5%, 3% head tolerances will result in a plus 8%, 5%, 3% pump horsepower requirement. Drivers must be selected allowing for the increased pump horsepower requirement.

### Performance Guarantee


- A guarantee of pump efficiency requires Peerless Pump factory engineering to determine and authorize a guarantee.
- A Peerless Pump factory performance test is required for any performance guarantee.
- A Peerless Pump factory authorized performance guarantees will be based on Peerless Pump factory testing.
- A Peerless Pump factory determined and authorized efficiency guarantee will have a -0% tolerance.
- A guarantee of pump performance is limited to one operating condition point only.



**END SUCTION GENERAL SERVICE  
PUMPS**  
Types C- Close Coupled F- Frame Mounted




**Area Bound Performance Curves**




4852641  
Rev. 9-91

Area Bound Performance Curves




4853080

**END SUCTION GENERAL SERVICE PUMPS**  
**Series C & F**



**Area Bound Performance Curves**




4853081




## END SUCTION GENERAL SERVICE PUMPS

Type PB Frame Mounted Type PE Close Coupled



IMPELLER NO. 2669710-PE150C 2669711-PE100C 2669712-PE75C 2661713-PE50B 2661717-PE33B	U.S. GALLONS PER MINUTE	Curve 4848278
--	-------------------------	---------------



IMPELLER NO. V1788B-PE753, 783 268384801-PE503, 583 268384802-PE303, 383 268384803-PE203, 283	U.S. GALLONS PER MINUTE	Curve 4848279
---	-------------------------	---------------



IMPELLER NO. 268418301-PE837, 838 268418302-PE835, 836 268418303-PE833, 834	U.S. GALLONS PER MINUTE	Curve 4848280
--	-------------------------	---------------

**SECTION 2340**


**END SUCTION PUMPS**  
 Series C & F Type 610A Size 1 x 2 x 6



Peerless Pump Company  
 Indianapolis, IN 46207-7026

**1750 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 3.2 SQ. IN.  
 SPHERE SIZE .38 IN.  
 PERFORMANCE AT 1.0 SP. GR.




183

IMPELLER **2683848** U.S. GALLONS PER MINUTE CURVE **3115003**

**3500 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 3.2 SQ. IN.  
 SPHERE SIZE .38 IN.  
 PERFORMANCE AT 1.0 SP. GR.



183

IMPELLER **2683848** U.S. GALLONS PER MINUTE CURVE **3115001**




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C&F Type 615J Size 1½ x 2 x 6

**SECTION 2340**

**1750 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.2 SQ. IN.  
SPHERE SIZE .38 IN.  
PERFORMANCE AT 1.0 SP. GR.




IMPELLER 2683848

U.S. GALLONS PER MINUTE

CURVE 3114055R

**3500 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.2 SQ. IN.  
SPHERE SIZE .38 IN.  
PERFORMANCE AT 1.0 SP. GR.



IMPELLER 2683848

U.S. GALLONS PER MINUTE

CURVE 3114056R






Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C&F Type 615A Size 1½ x 2 x 6

**SECTION 2340**

**1750 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.50 SQ. IN.  
SPHERE SIZE .38 IN.  
PERFORMANCE AT 1.0 SP. GR.



688


IMPELLER V 1788B

U.S. GALLONS PER MINUTE

CURVE 3115075

**3500 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.50 SQ. IN.  
SPHERE SIZE .38 IN.  
PERFORMANCE AT 1.0 SP. GR.



688


IMPELLER V 1788B

U.S. GALLONS PER MINUTE

CURVE 3115073


# SECTION 2340

**END SUCTION PUMPS**  
 Series C&F Type 620A Size 2 x 2½ x 6



**1750 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 5.2 SQ. IN.  
 SPHERE SIZE .62 IN.  
 PERFORMANCE AT 1.0 SP. GR.



488


IMPELLER **2683846**

U.S. GALLONS PER MINUTE

CURVE **3115064**

**3500 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 5.2 SQ. IN.  
 SPHERE SIZE .62 IN.  
 PERFORMANCE AT 1.0 SP. GR.



488


IMPELLER **2683846**

U.S. GALLONS PER MINUTE

CURVE **3115062**

**END SUCTION PUMPS**  
Series C & F Type 740 Size 4 x 5 x 7


**SECTION 2340**



IMPELLER 2694280

U.S. GALLONS PER MINUTE

CURVE 3114062




IMPELLER 2694280

U.S. GALLONS PER MINUTE

CURVE 3114063

**1750 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 1.8 SQ. IN.  
SPHERE SIZE .21 IN.  
PERFORMANCE AT 1.0 SP. GR.




IMPELLER 2693952

U.S. GALLONS PER MINUTE

CURVE 3115092

**3500 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 1.8 SQ. IN.  
SPHERE SIZE .21 IN.  
PERFORMANCE AT 1.0 SP. GR.



IMPELLER 2693952

U.S. GALLONS PER MINUTE

CURVE 3115090


# SECTION 2340

**END SUCTION PUMPS**  
 Series C&F      Type 815A      Size 1½ x 2 x 8




**1750 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 3.1 SQ. IN.  
 SPHERE SIZE .31 IN.  
 PERFORMANCE AT 1.0 SP. GR.



**3500 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 3.1 SQ. IN.  
 SPHERE SIZE .31 IN.  
 PERFORMANCE AT 1.0 SP. GR.






Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C&F Type 810G Size 1 x 2 x 8

**SECTION 2340**

**1750 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.1 SQ. IN.  
SPHERE SIZE .21 IN.  
PERFORMANCE AT 1.0 SP. GR.



189


IMPELLER 2693952

U.S. GALLONS PER MINUTE

CURVE 3115102

**3500 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.1 SQ. IN.  
SPHERE SIZE .21 IN.  
PERFORMANCE AT 1.0 SP. GR.



189

IMPELLER 2693952

U.S. GALLONS PER MINUTE

CURVE 3115100




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C&F Type 810A Size 1x2x8

**SECTION 2340**

**1750 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.1 SQ. IN.  
SPHERE SIZE .31 IN.  
PERFORMANCE AT 1.0 SP. GR.




IMPELLER **2684183**

U.S. GALLONS PER MINUTE

CURVE **3115008**

**3500 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.1 SQ. IN.  
SPHERE SIZE .31 IN.  
PERFORMANCE AT 1.0 SP. GR.



IMPELLER **2684183**

U.S. GALLONS PER MINUTE

CURVE **3115009**


# SECTION 2340

**END SUCTION PUMPS**  
 Series C&F    Type 820A    Size 2 x 2½ x 8

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

**1750 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 4.9 SQ. IN.  
 SPHERE SIZE .25 IN.  
 PERFORMANCE AT 1.0 SP. GR.



788


IMPELLER **V3289B**

U.S. GALLONS PER MINUTE

CURVE **3115086**

**3500 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 4.9 SQ. IN.  
 SPHERE SIZE .25 IN.  
 PERFORMANCE AT 1.0 SP. GR.



788

IMPELLER **V3289B**

U.S. GALLONS PER MINUTE

CURVE **3115084**






Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C&F Type 825A Size 2½x3x8

**SECTION 2340**

**1750 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 6.5 SQ. IN.  
SPHERE SIZE .50 IN.  
PERFORMANCE AT 1.0 SP. GR.




IMPELLER **2683738**

U.S. GALLONS PER MINUTE

CURVE **3115060**

**3500 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 6.5 SQ. IN.  
SPHERE SIZE .50 IN.  
PERFORMANCE AT 1.0 SP. GR.



IMPELLER **2683748**

U.S. GALLONS PER MINUTE


CURVE **3115058**

# SECTION 2340

**END SUCTION PUMPS**  
 Series C&F    Type 830A    Size 3x4x8

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026


**1750 RPM**



IMPELLER **2683747**

U.S. GALLONS PER MINUTE

CURVE **3115068**



**3500 RPM**

IMPELLER **2683747**

U.S. GALLONS PER MINUTE

CURVE **3115066**




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C & F Type 830A Size 3 x 4 x 8

**SECTION 2340**

**1150** RPM

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 9.1 SQ.IN.  
SPHERE SIZE .62 IN.  
PERFORMANCE AT 1.0 SP.GR.



392

IMPELLER 2683747

U.S. GALLONS PER MINUTE

CURVE 3114070




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C & F Type 840 Size 4 x 5 x 8

**SECTION 2340**

**1150** RPM

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 14.0 SQ.IN.  
SPHERE SIZE .87 IN.  
PERFORMANCE AT 1.0 SP.GR.



392

IMPELLER 2680863

U.S. GALLONS PER MINUTE

CURVE 3114071



Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**

Series C&F


Type 840

Size 4 x 5 x 8

**SECTION 2340**

**1750 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 14.0 SQ. IN.  
SPHERE SIZE .87 IN.  
PERFORMANCE AT 1.0 SP. GR.



788

IMPELLER 2680863

U.S. GALLONS PER MINUTE

CURVE 3114060


# SECTION 2340

**END SUCTION PUMPS**  
 Series C&F Type 1020A Size 2 x 2½ x 10

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

**1750 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 3.9 SQ. IN.  
 SPHERE SIZE .25 IN.  
 PERFORMANCE AT 1.0 SP. GR.



788

IMPELLER **2680869**

U.S. GALLONS PER MINUTE

CURVE **3115088**



Peerless Pump Company  
Indianapolis, IN 46207-7026

### END SUCTION PUMPS

Series C & F

Type 1020A

Size 2 x 2½ x 10

### SECTION 2340

**3500**

RPM

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.9 SQ.IN.  
SPHERE SIZE .25 IN.  
PERFORMANCE AT 1.0 SP. GR.

TOTAL HEAD IN FEET

450  
400  
350  
300  
250  
200  
150  
100

10.0 IN.DIA.

9.0

8.0

60

65

68

68

65

50hp

40hp

30hp

70% EFF.

NPSH

8"

10"

75

50

25

0

NPSH IN FEET

0 100 200 300 400 500 600

694

IMPELLER 2680870

U.S. GALLONS PER MINUTE

CURVE 3114073




Peerless Pump Company  
Indianapolis, IN 46207-7026

END SUCTION PUMPS  
Series C or F Type 1025A

SECTION 2340

1750 RPM

TOTAL HEAD - FEET



IMPELLER

2684314

U.S. GALLONS PER MINUTE

CURVE

3115018



# SECTION 2340

## END SUCTION PUMPS


Series C&F Type 1030A Size 3 x 4 x 10



Peerless Pump Company  
Indianapolis, IN 46207-7026

**1750 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 9.6 SQ. IN.  
SPHERE SIZE .62 IN.  
PERFORMANCE AT 1.0 SP. GR.



688

IMPELLER **2684315**

U.S. GALLONS PER MINUTE

CURVE **3115004**




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C & F Type 1040A Size 4 x 5 x 10

**SECTION 2340**

**1150 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 12.6 SQ. IN.  
SPHERE SIZE .94 IN.  
PERFORMANCE AT 1.0 SP. GR.




IMPELLER **2685918**

U.S. GALLONS PER MINUTE

CURVE **3115031**

**1750 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 12.6 SQ. IN.  
SPHERE SIZE .94 IN.  
PERFORMANCE AT 1.0 SP. GR.



IMPELLER **2685918**

U.S. GALLONS PER MINUTE


CURVE **3115020**

# SECTION 2340


## END SUCTION PUMPS Series C & F Type 1050A Size 5 x 6 x 10



Peerless Pump Company  
Indianapolis, IN 46207-7026



IMPELLER 2689502 U.S. GALLONS PER MINUTE CURVE 3115083




IMPELLER 2689502 U.S. GALLONS PER MINUTE CURVE 3115081



Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C & F Type 1125 Size 2.5 x 3 x 10.5


**SECTION 2340**



IMPELLER 2692719

U.S. GALLONS PER MINUTE

CURVE 3114068



IMPELLER 2692719

U.S. GALLONS PER MINUTE

CURVE 3114066




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C&F Type 1140 Size 4 x 5 x 10.5

**SECTION 2340**

**1750 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 12.01 SQ. IN.  
SPHERE SIZE .406 IN.  
PERFORMANCE AT 1.0 SP. GR.




IMPELLER 2692385

U.S. GALLONS PER MINUTE

CURVE 3115098

**3500 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 12.01 SQ. IN.  
SPHERE SIZE .406 IN.  
PERFORMANCE AT 1.0 SP. GR.



IMPELLER 2692385

U.S. GALLONS PER MINUTE

CURVE 3115096




Peerless Pump Company  
Indianapolis, IN 46207-7026

END SUCTION PUMPS  
Series C or F Type 1215A

SECTION 2340

1150 RPM


VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.1 SQ. IN.  
SPHERE SIZE .38 IN.  
PERFORMANCE AT 1.0 SP. GR.



IMPELLER 2685583 U.S. GALLONS PER MINUTE CURVE 3115053

1750 RPM

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.1 SQ. IN.  
SPHERE SIZE .38 IN.  
PERFORMANCE AT 1.0 SP. GR.



12 IN DIA. REQUIRES 4 PSI  
MIN. SUCTION PRESSURE

IMPELLER 2685583 U.S. GALLONS PER MINUTE CURVE 3115021

**SECTION 2340**


**END SUCTION PUMPS**  
Series C or F Type 1220A



Peerless Pump Company  
Indianapolis, IN 46207-7026

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 4.9 SQ. IN.  
SPHERE SIZE .38 IN.  
PERFORMANCE AT 1.0 SP. GR.

**1150 RPM**



IMPELLER **2685585**


U.S. GALLONS PER MINUTE

CURVE

**3115041**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 4.9 SQ. IN.  
SPHERE SIZE .38 IN.  
PERFORMANCE AT 1.0 SP. GR.

**1750 RPM**



IMPELLER **2685585**

U.S. GALLONS PER MINUTE

CURVE

**3115039**




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C & F Type 1230A Size 3 x 4 x 12

**SECTION 2340**

**1150** RPM

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 10.4 SQ. IN.  
SPHERE SIZE .62 IN.  
PERFORMANCE AT 1.0 SP. GR.



392

IMPELLER 2685580

U.S. GALLONS PER MINUTE

CURVE 3114072






Peerless Pump Company  
Indianapolis, IN 46207-7026

END SUCTION PUMPS  
Series C or F Type 1230A

SECTION 2340

1750 RPM



IMPELLER

2685580

U.S. GALLONS PER MINUTE

CURVE

3115023


**SECTION 2340**

END SUCTION PUMPS  
Series C or F Type 1240A

**PEERLESS PUMP** Peerless Pump Company  
Indianapolis, IN 46207-7026

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 15.1 SQ. IN.  
SPHERE SIZE .81 IN.  
PERFORMANCE AT 1.0 SP. GR.

**1150 RPM**



IMPELLER **2685586**


U.S. GALLONS PER MINUTE

CURVE

**3115033**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 15.1 SQ. IN.  
SPHERE SIZE .81 IN.  
PERFORMANCE AT 1.0 SP. GR.

**1750 RPM**



IMPELLER **2685586**

U.S. GALLONS PER MINUTE

CURVE


**3115024**




Peerless Pump Company  
Indianapolis, IN 46207-7028

END SUCTION PUMPS  
Series C or F Type 1250A

SECTION 2340



IMPELLER	2685593	U.S. GALLONS PER MINUTE	CURVE	3115034
----------	---------	-------------------------	-------	---------



IMPELLER	2685593	U.S. GALLONS PER MINUTE	CURVE	3115025
----------	---------	-------------------------	-------	---------

**SECTION 2340**


**END SUCTION PUMPS**  
Series F4 Type 1260A



Peerless Pump Company  
Indianapolis, IN 46207-7026

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 50.0 SQ. IN.  
SPHERE SIZE 1.12 IN.  
PERFORMANCE AT 1.0 SP. GR.

**1150 RPM**




IMPELLER **2689637**

U.S. GALLONS PER MINUTE

CURVE **3115035**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 50.0 SQ. IN.  
SPHERE SIZE 1.12 IN.  
PERFORMANCE AT 1.0 S.G.

**1750 RPM**



IMPELLER **2689637**

U.S. GALLONS PER MINUTE

CURVE **3114041**



Peerless Pump Company  
Indianapolis, IN 46207-7026


### END SUCTION PUMPS

Series F Type 1260G Size 6 x 8 x 12.0

## SECTION 2340

### 1150 RPM

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 30.2 SQ. IN.  
SPHERE SIZE .80 IN  
PERFORMANCE AT 1.0 SP. GR.




IMPELLER 2694210

U.S. GALLONS PER MINUTE

CURVE 3115106

### 1750 RPM

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 30.2 SQ. IN.  
SPHERE SIZE .80 IN  
PERFORMANCE AT 1.0 SP. GR.



IMPELLER 2694210

U.S. GALLONS PER MINUTE

CURVE 3115104




Peerless Pump Company  
Indianapolis, IN 46207-7026

END SUCTION PUMPS  
Series C or F Type 1425

SECTION 2340

1150 RPM


VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 11.3 SQ. IN.  
SPHERE SIZE .40 IN.  
PERFORMANCE AT 1.0 SP. GR.



IMPELLER	2688989	U.S. GALLONS PER MINUTE	CURVE	3114053
----------	---------	-------------------------	-------	---------

1750 RPM



VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 11.3 SQ. IN.  
SPHERE SIZE .40 IN.  
PERFORMANCE AT 1.0 SP. GR.



IMPELLER	2688989	U.S. GALLONS PER MINUTE	CURVE	3114051
----------	---------	-------------------------	-------	---------

**SECTION 2340**

**END SUCTION PUMPS**  
 Series C & F Type 1430 Size 3 x 4 x 14






Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C&F Type 1430G Size 3 x 4 x 14

**SECTION 2340**

**1150 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 9.11 SQ. IN.  
SPHERE SIZE .40 IN.  
PERFORMANCE AT 1.0 SP. GR.



588


IMPELLER 2688989

U.S. GALLONS PER MINUTE

CURVE 3115072

**1750 RPM**

VELOCITY HEAD INCLUDED  
PERFORMANCE AT 1.0 SP. GR.




588

IMPELLER 2688989


U.S. GALLONS PER MINUTE

CURVE 3115070





IMPELLER	2688325	U.S. GALLONS PER MINUTE	CURVE	3114038
----------	---------	-------------------------	-------	---------



IMPELLER	2688325	U.S. GALLONS PER MINUTE	CURVE	3114033
----------	---------	-------------------------	-------	---------




Peerless Pump Company  
Indianapolis, IN 46207-7026

END SUCTION PUMPS  
Types F3, F4 1660P

SECTION 2340

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 32.0 SQ. IN.  
SPHERE SIZE .75 IN.  
PERFORMANCE AT 1.0 SP. GR.

1150 RPM




IMPELLER 2689026

U.S. GALLONS PER MINUTE

CURVE 3115036

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 32.0 SQ. IN.  
SPHERE SIZE .75 IN.

1750 RPM



IMPELLER 2689026


U.S. GALLONS PER MINUTE

CURVE 3114040


**SECTION 2340**


END SUCTION PUMPS  
Series F3 Type 1425P

**PEERLESS PUMP** Peerless Pump Company  
Indianapolis, IN 46207-7026




END SUCTION PUMPS  
Series F4 Type 1425P





IMPELLER	2688564	U.S. GALLONS PER MINUTE	CURVE	3114031
----------	---------	-------------------------	-------	---------




IMPELLER	2688564	U.S. GALLONS PER MINUTE	CURVE	3114032
----------	---------	-------------------------	-------	---------

**SECTION 2340**

END SUCTION PUMPS  
Series F3 Type 1440P




Peerless Pump Company  
Indianapolis, IN 46207-7026



IMPELLER	2688325	U.S. GALLONS PER MINUTE	CURVE	3114029
----------	---------	-------------------------	-------	---------

END SUCTION PUMPS  
Series F4 Type 1440P




IMPELLER	2688325	U.S. GALLONS PER MINUTE	CURVE	3114030
----------	---------	-------------------------	-------	---------

**END SUCTION PUMPS**  
**Series F — Frame Mounted**  
**Style P — Packed**

The performance curves for F21020AP through F41260AP following this page are variable speed for irrigation service (belt or engine driven) and require suction lift correction if installation elevation is greater than sea level or ambient temperature is greater than 80°F. (26.7°C.).

**Example:** For a given pump selection, the curve shows the pump to be capable of 16 ft. TSL (Total Suction Lift). The location of the pump is at an elevation of 3,000 ft. and the water pumping temperature is 85°F.


Enter the correction chart at 3,000 ft. elevation, interpolate to 85°F., read the suction lift de-rate on the left-hand scale (3.5 ft.). Deduct this correction factor from the curve TSL to arrive at the corrected TSL. (16 - 3.5 = 12.5 ft.).



**SECTION 2340**


END SUCTION PUMPS  
SERIES F2 TYPE 1020AP

**PEERLESS PUMP** Peerless Pump Company  
Indianapolis, IN 46207-7026



IMPELLER	2680869	U.S. GALLONS PER MINUTE	CURVE	3115042
----------	---------	-------------------------	-------	---------

END SUCTION PUMPS  
SERIES F2 TYPE 1025AP




IMPELLER	2684314	U.S. GALLONS PER MINUTE	CURVE	3115043
----------	---------	-------------------------	-------	---------




Peerless Pump Company  
Indianapolis, IN 46207-7026

END SUCTION PUMPS  
SERIES F2 TYPE 1030AP

SECTION 2340



IMPELLER	2684315	U.S. GALLONS PER MINUTE	CURVE	3115044
		END SUCTION PUMPS SERIES F2 TYPE 1040AP		




IMPELLER	2685918	U.S. GALLONS PER MINUTE	CURVE	3115045
----------	---------	-------------------------	-------	---------



**SECTION 2340**

**END SUCTION PUMPS  
SERIES F2 TYPE 1050AP**

**PEERLESS PUMP** Peerless Pump Company  
Indianapolis, IN 46207-7026




IMPELLER	2689502	U.S. GALLONS PER MINUTE	CURVE	3115046
----------	---------	-------------------------	-------	---------




Peerless Pump Company  
Indianapolis, IN 46207-7026

END SUCTION PUMPS  
SERIES F2 TYPE 1215AP

SECTION 2340



IMPELLER	2685583	U.S. GALLONS PER MINUTE	CURVE	3115047
		END SUCTION PUMPS SERIES F2 TYPE 1220AP		




IMPELLER	2685585	U.S. GALLONS PER MINUTE	CURVE	3115048
----------	---------	-------------------------	-------	---------

**SECTION 2340**


**END SUCTION PUMPS  
SERIES F2 TYPE 1230AP**

**PEERLESS PUMP** Peerless Pump Company  
Indianapolis, IN 46207-7026




IMPELLER	2685580	U.S. GALLONS PER MINUTE	CURVE	3115049
----------	---------	-------------------------	-------	---------


**END SUCTION PUMPS  
SERIES F2 TYPE 1240AP**



IMPELLER	2685588	U.S. GALLONS PER MINUTE	CURVE	3115050
----------	---------	-------------------------	-------	---------




IMPELLER	2685593	U.S. GALLONS PER MINUTE	CURVE	3115051
----------	---------	-------------------------	-------	---------




IMPELLER	2689637	U.S. GALLONS PER MINUTE	CURVE	3115052
----------	---------	-------------------------	-------	---------




- \* IMPELLER NO.
- PE33B - 2661717
  - PE50B - 2661713
  - PE75C - 2669712
  - PE100C - 2669711
  - PE150C - 2669710
  - PE203 - 268384803
  - PE283 - 268384803
  - PE303 - 268384802
  - PE383 - 268384802
  - PE503 - 268384801
  - PE583 - 268384801
  - PE753 - V1788B
  - PE783 - V1788B
  - PE833 - 268418303
  - PE834 - 268418303
  - PE835 - 268418302
  - PE836 - 268418302
  - PE837 - 268418301
  - PE838 - 268418301



IMPELLER NO. \*      FLOW - M<sup>3</sup>/hr.      Curve 4848291



IMPELLER NO. \*      FLOW - M<sup>3</sup>/hr.      Curve 4848292



IMPELLER NO. \*      FLOW - M<sup>3</sup>/hr.      Curve 4848293

**SECTION 2340**


**END SUCTION PUMPS**  
Series C & F Type 610A Size 1 x 2 x 6



Peerless Pump Company  
Indianapolis, IN 46207-7026

**1450 RPM**

TOTAL HEAD IN METERS



NPSH IN METERS


Impeller 2683848

FLOW - M<sup>3</sup>/hr.

Curve 4848288

**2900 RPM**

TOTAL HEAD IN METERS



NPSH IN METERS

Impeller 2683848

FLOW - M<sup>3</sup>/hr.

Curve 4848289




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C&F Type 615A Size 1½ x 2 x 6

**SECTION 2340**

**2900 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.50 SQ. IN.  
SPHERE SIZE .38 IN.  
PERFORMANCE AT 1.0 SP. GR.



688

IMPELLER **V 1788B**

U.S. GALLONS PER MINUTE

CURVE **3115074**

# SECTION 2340


**END SUCTION PUMPS**  
 Series C&F Type 620A Size 2 x 2½ x 6



Peerless Pump Company  
 Indianapolis, IN 46207-7026

**1450 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 5.2 SQ. IN.  
 SPHERE SIZE .62 IN.  
 PERFORMANCE AT 1.0 SP. GR.




IMPELLER 2683846

U.S. GALLONS PER MINUTE

CURVE 3115065

**2900 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 5.2 SQ. IN.  
 SPHERE SIZE .62 IN.  
 PERFORMANCE AT 1.0 SP. GR.



IMPELLER 2683846

U.S. GALLONS PER MINUTE

CURVE 3115063






Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C & F Type 740 Size 4 x 5 x 7


**SECTION 2340**

**1450 RPM**



IMPELLER	2694280	U.S. GALLONS PER MINUTE	CURVE	3114064
----------	---------	-------------------------	-------	---------

**2900 RPM**



IMPELLER	2694280	U.S. GALLONS PER MINUTE	CURVE	3114065
----------	---------	-------------------------	-------	---------




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C&F    Type 815G    Size 1½ x 2 x 8

**SECTION 2340**

**2900 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 1.8 SQ. IN.  
SPHERE SIZE .21 IN.  
PERFORMANCE AT 1.0 SP. GR.



1188

IMPELLER **2693952**

U.S. GALLONS PER MINUTE

CURVE **3115091**

# SECTION 2340

## END SUCTION PUMPS


Series C&F      Type 815A      Size 1½ x 2 x 8



Peerless Pump Company  
Indianapolis, IN 46207-7026

### 2900 RPM

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.1 SQ. IN.  
SPHERE SIZE 31 IN.  
PERFORMANCE AT 1.0 SP. GR.



IMPELLER 2684183

U.S. GALLONS PER MINUTE

CURVE 3115094



Peerless Pump Company  
Indianapolis, IN 46207-7026


**END SUCTION PUMPS**

Series C&F      Type 810G      Size 1 x 2 x 8

**SECTION 2340**

**2900 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.1 SQ. IN.  
SPHERE SIZE .21 IN.  
PERFORMANCE AT 1.0 SP. GR.



IMPELLER 2693952

U.S. GALLONS PER MINUTE

CURVE 3115101




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C & F Type 810A Size 1 x 2 x 8

**SECTION 2340**

TOTAL HEAD IN METERS




NPSH IN METERS

Impeller 2684183

FLOW - M<sup>3</sup>/hr.

Curve 4848263

TOTAL HEAD IN METERS



NPSH IN METERS

IMPELLER

2684183

FLOW - M<sup>3</sup>/hr

CURVE

3115029

# SECTION 2340


**END SUCTION PUMPS**  
 Series C&F    Type 820A    Size 2 x 2½ x 8



Peerless Pump Company  
 Indianapolis, IN 46207-7026

**1450 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 4.9 SQ. IN.  
 SPHERE SIZE .25 IN.  
 PERFORMANCE AT 1.0 SP. GR.



788


IMPELLER **V3289B**

U.S. GALLONS PER MINUTE

CURVE **3115087**

**2900 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 4.9 SQ. IN.  
 SPHERE SIZE .25 IN.  
 PERFORMANCE AT 1.0 SP. GR.



788

IMPELLER **V3289B**

U.S. GALLONS PER MINUTE

CURVE **3115085**




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C&F Type 825A Size 2½x3x8

**SECTION 2340**

**1450 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 6.5 SQ. IN.  
SPHERE SIZE .50 IN.  
PERFORMANCE AT 1.0 SP. GR.



187


IMPELLER **2683738**

U.S. GALLONS PER MINUTE

CURVE **3115061**

**2900 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 6.5 SQ. IN.  
SPHERE SIZE .50 IN.  
PERFORMANCE AT 1.0 SP. GR.



187

IMPELLER **2683748**

U.S. GALLONS PER MINUTE

CURVE **3115059**

# SECTION 2340


**END SUCTION PUMPS**  
 Series C&F Type 830A Size 3x4x8



Peerless Pump Company  
 Indianapolis, IN 46207-7026

**1450 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 9.1 SQ. IN.  
 SPHERE SIZE .62 IN.  
 PERFORMANCE AT 1.0 SP. GR.




IMPELLER 2683747

U.S. GALLONS PER MINUTE

CURVE 3115069

**2900 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 9.1 SQ. IN.  
 SPHERE SIZE .62 IN.  
 PERFORMANCE AT 1.0 SP. GR.



IMPELLER 2683747

U.S. GALLONS PER MINUTE

CURVE 3115067






Peerless Pump Company  
Indianapolis, IN 46207-7025

**END SUCTION PUMPS**  
Series C & F Type 840 Size 4 x 5 x 8

**SECTION 2340**

**1450 RPM**



Impeller 2680863      FLOW — M<sup>3</sup>/hr      Curve 4846291


# SECTION 2340

**END SUCTION PUMPS**  
 Series C&F Type 1020A Size 2 x 2½ x 10

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

**1450 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 3.9 SQ. IN.  
 SPHERE SIZE .25 IN.  
 PERFORMANCE AT 1.0 SP. GR.



788

IMPELLER 2680869

U.S. GALLONS PER MINUTE

CURVE 3115089



Peerless Pump Company  
Indianapolis, IN 46207-7026

### END SUCTION PUMPS

Series C & F


Type 1020A

Size 2 x 2½ x 10

### SECTION 2340

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 3.9 SQ.IN.  
SPHERE SIZE .25 IN.  
PERFORMANCE AT 1.0 SP. GR.

**2950** RPM



694

IMPELLER 2680870

U.S. GALLONS PER MINUTE


CURVE 3114074

**END SUCTION PUMPS**  
Series C & F Type 1025A Size 2½ x 3 x 10

**SECTION 2340**

**2950** RPM

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA  
SPHERE SIZE  
PERFORMANCE AT 1.0 SP.GR.



IMPELLER 2684354

U.S. GALLONS PER MINUTE

CURVE 3114075




Peerless Pump Company  
Indianapolis, IN 46207-7026

END SUCTION PUMPS  
Series C & F Type 1025A Size 2.5 x 3 x 10

SECTION 2340

1450 RPM

TOTAL HEAD IN METERS



NPSH IN METERS

Impeller 2684314

FLOW - M<sup>3</sup>/hr.

Curve 4846859

**SECTION 2340**


**END SUCTION PUMPS**  
 Series C & F Type 1030A Size 3 x 4 x 10

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

**1450 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 619 SQ.cm  
 SPHERE SIZE 15.9mm  
 PERFORMANCE AT 1.0 SP. GR.

TOTAL HEAD IN METERS



IMPELLER

2664315

FLOW-M<sup>3</sup>/hr

CURVE

3114049




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C & F Type 1040A Size 4 x 5 x 10

**SECTION 2340**

**1450 RPM**

TOTAL HEAD IN METERS



NPSH IN METERS

Impeller 2685918

FLOW - M<sup>3</sup>/hr.

Curve 4847616

# SECTION 2340

## END SUCTION PUMPS


Series C&F Type 1050A Size 5 x 6 x 10



Peerless Pump Company  
Indianapolis, IN 46207-7026

### 1450 RPM

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 20.8 SQ. IN.  
SPHERE SIZE 1.13 IN.  
PERFORMANCE AT 1.0 SP. GR.



688

IMPELLER 2689502

U.S. GALLONS PER MINUTE

CURVE 3115082






Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C & F Type 1125 Size 2.5 x 3 x 10.5


**SECTION 2340**



IMPELLER 2692719

U.S. GALLONS PER MINUTE

CURVE 3114069



IMPELLER 2692719

U.S. GALLONS PER MINUTE

CURVE 3114067




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C&F Type 1140 Size 4 x 5 x 10.5

**SECTION 2340**

**1450 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 12.01 SQ. IN.  
SPHERE SIZE .406 IN.  
PERFORMANCE AT 1.0 SP. GR.



189


IMPELLER 2692385

U.S. GALLONS PER MINUTE

CURVE 3115099

**2900 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 12.01 SQ. IN.  
SPHERE SIZE .406 IN.  
PERFORMANCE AT 1.0 SP. GR.



189

IMPELLER 2692385

U.S. GALLONS PER MINUTE

CURVE 3115097



Peerless Pump Company  
Indianapolis, IN 46207-7025


**END SUCTION PUMPS**  
Series C & F Type 1215A Size 1.5 x 2 x 12

**SECTION 2340**

**1450 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 20.0 SQ.cm  
SPHERE SIZE 9.53 mm

TOTAL HEAD IN METERS



IMPELLER

2685583

FLOW- M<sup>3</sup>/hr

CURVE

3115030


**SECTION 2340**

**END SUCTION PUMPS**  
 Series C & F Type 1220A Size 2 x 2.5 x 12

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

**1450 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 31.6 SQ.cm  
 SPERE SIZE 9.7 mm  
 PERFORMANCE AT 1.0 SP. GR.



IMPELLER

2885525

FLOW-M<sup>3</sup>/hr

CURVE

3115040




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C & F Type 1230A Size 3 x 4 x 12

**SECTION 2340**

**1450 RPM**

TOTAL HEAD IN METERS



NPSH IN METERS

Impeller 2685580

FLOW - M<sup>3</sup>/hr.

Curve 4847650


**SECTION 2340**

**END SUCTION PUMPS**  
Series C & F Type 1240A Size 4 x 5 x 12



**1450 RPM**

TOTAL HEAD IN METERS



NPSH IN METERS

Impeller 2685586

FLOW - M<sup>3</sup>/hr.

Curve 4847725




Peerless Pump Company  
Indianapolis, IN 46207-7026

END SUCTION PUMPS  
Series C & F Type 1250A Size 5x6x12

SECTION 2340

1450 RPM

TOTAL HEAD IN METERS



NPSH IN METERS

Impeller 2685593

FLOW - M<sup>3</sup>/hr.

Curve 4847728


**SECTION 2340**

**END SUCTION PUMPS**  
 Series & Type F41260A Size 6 x 8 x 12

**DEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 323 SQ.cm  
 SPHERE SIZE 26.4 mm  
 PERFORMANCE AT 1.0 SP. GR.

**1450 RPM**



IMPELLER	2669637	FLOW-M <sup>3</sup> /hr.	CURVE	3114042
----------	---------	--------------------------	-------	---------






Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**

Series F Type 1260G Size 6 x 8 x 12

**SECTION 2340**

**1450 RPM**



589

IMPELLER **2694210**

U.S. GALLONS PER MINUTE

CURVE **3115105**




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C & F Type 1425 Size 2.5 x 4 x 14

**SECTION 2340**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 72.8 SQ.cm  
SPHERE SIZE 10.2 mm  
PERFORMANCE AT 1.0 SP. GR.

**1450 RPM**



<b>IMPELLER</b>	<b>268888</b>	<b>FLOW-M<sup>3</sup>/hr</b>	<b>CURVE</b>	<b>3114052</b>
-----------------	---------------	------------------------------	--------------	----------------

**SECTION 2340**


**END SUCTION PUMPS**  
**Series C & F Type 1430 Size 3 x 4 x 14**

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

**1450 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 72.930 cm  
 SPHERE SIZE 13.7 mm  
 PERFORMANCE AT 11.0 SP. GR.

TOTAL HEAD IN METERS



IMPELLER

2688564

FLOW-M<sup>3</sup>/hr

CURVE

3114046




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C&F Type 1430G Size 3 x 4 x 14

**SECTION 2340**

**1450 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 9.11 SQ. IN.  
SPHERE SIZE .40 IN.  
PERFORMANCE AT 1.0 SP. GR.



588

IMPELLER **2688989**

U.S. GALLONS PER MINUTE

CURVE **3115071**




Peerless Pump Company  
Indianapolis, IN 46207-7026

**END SUCTION PUMPS**  
Series C & F Type 1440 Size 4 x 5 x 14

**SECTION 2340**

**1450 RPM**

VELOCITY HEAD INCLUDED  
TOTAL EYE AREA 109 SQ. cm  
SPHERE SIZE 183 mm  
PERFORMANCE AT 1.0 SP. GR.



IMPELLER

2688325

FLOW-M<sup>3</sup>/hr

CURVE

3114047

**SECTION 2340**


**END SUCTION PUMPS**  
 Series, Type, Style F31660P Size 6 x 8 x 16



Peerless Pump Company  
 Indianapolis, IN 46207-7026

**1450 RPM**

VELOCITY HEAD INCLUDED  
 TOTAL EYE AREA 206.30 cm  
 SPHERE SIZE 19.1 mm  
 PERFORMANCE AT 1.0 SP. GR.



IMPELLER

2689026

FLOW-M<sup>3</sup>/hr.

CURVE

3114048

1083